## In the Claims:

Please cancel claims 4-7. Please amend claim 3. Please add new claims 23-26. The claims are as follows:

1. (Original) A method of operating an intrusion detection system, the method comprising the steps of:

taking a base action in response to detecting an intrusion; updating an action counter in response to taking the base action;

comparing the value of the action counter to an action threshold;

updating an action variable when the value of the action counter meets the action threshold;

checking a validity condition for satisfaction dependent upon the action variable; and invoking a provision associated with the validity condition when the validity condition is satisfied.

- 2. (Original) The method of claim 1, wherein the provision changes an element of a base intrusion set.
- 3. (Currently amended) The method of claim 2, A method of operating an intrusion detection system, the method comprising the steps of:

taking a base action in response to detecting an intrusion:

updating an action counter in response to taking the base action:

09/901,443

comparing the value of the action counter to an action threshold;

updating an action variable when the value of the action counter meets the action
threshold;

checking a validity condition for satisfaction dependent upon the action variable; and invoking a provision associated with the validity condition when the validity condition is satisfied, wherein the provision changes an element of a base intrusion set, and wherein the element of the base intrusion set is selected from the group consisting of a signature event, a signature event counter, a signature threshold, a base action, and a weight.

## 4-7. (Canceled)

- 8. (Original) The method of claim 1, wherein the provision changes an element of an action set.
- 9. (Original) The method of claim 8, wherein the element of the action set is an action counter.
- 10. (Original) The method of claim 8, wherein the element of the action set is an action threshold.
- 11. (Original) The method of claim 8, wherein the element of the action set is an action variable.
- 12. (Original) A method of operating an intrusion detection system, the method comprising the steps of:

09/901,443

detecting a signature event;

updating a signature event counter responsive to detecting the signature event;

comparing the value of the signature event counter to a signature threshold;

updating an action counter when the value of the signature event counter meets the signature threshold;

comparing the value of the action counter to an action threshold;

updating an action variable when the value of the action counter meets the action

threshold;

checking a validity condition for satisfaction dependent upon the action variable; and invoking a provision associated with the validity condition when the validity condition is satisfied.

- 13. (Original) The method of claim 12, wherein the provision changes an element of a base intrusion set.
- 14. (Original) The method of claim 13, wherein the element of the base intrusion set is a signature event.
- 15. (Original) The method of claim 13, wherein the element of the base intrusion set is a signature event counter.
- 16. (Original) The method of claim 13, wherein the element of the base intrusion set is a

signature threshold.

- 17. (Original) The method of claim 13, wherein the element of the base intrusion set is a base action.
- 18. (Original) The method of claim 13, wherein the element of the base intrusion set is a weight.
- 19. (Original) The method of claim 12, wherein the provision changes an element of an action set.
- 20. (Original) The method of claim 19, wherein the element of the action set is an action counter.
- 21. (Original) The method of claim 19, wherein the element of the action set is an action threshold.
- 22. (Original) The method of claim 19, wherein the element of the action set is an action variable.
- 23. (New) The method of claim 1, wherein the action variable is selected from the group consisting of a binary variable, an integer variable, a floating point variable, a fuzzy logical variable, and a M-ary variable.

09/901,443

- 24. (New) The method of claim 1, wherein the validity condition includes a mathematical expression or a logical expression.
- 25. (New) The method of claim 1, wherein said checking step comprises checking the validity condition for satisfaction dependent upon the action variable and upon at least one other action variable.
- 26. (New) The method of claim 1, further comprising a plurality of rules, wherein a rule of the plurality of rules comprises the validity condition.